

NEC3 Supply Contract (SC3)

Between	ESKOM HOLDINGS SOC Ltd (Reg No. 2002/015527/30)	
and	(Reg No)	
For	Supply and Delivery of Control and In Spares at Arnot Power Station for Six	
Contents:		No of pages
Part C1	Agreements & Contract Data	[2]
Part C2	Pricing Data	[•]
Part C3	Scope of Work	[•]
CONTRACT No.	ТВА	

PART C1: AGREEMENTS & CONTRACT DATA

Contents:		No of pages
C1.1	Form of Offer and Acceptance	[•]
	[to be inserted from Returnable Documents at award stage]	
C1.2a	Contract Data provided by the <i>Purchaser</i>	[•]
C1.2b	Contract Data provided by the Supplier	[•]
	[to be inserted from Returnable Documents at award stage]	

C1.1 Form of Offer & Acceptance

Offer

The Purchaser, identified in the Acceptance signature block, has solicited offers to enter into a contract for the procurement of:

Supply and Delivery of Control and Instrumentation Spares at Arnot Power Station for Sixty (60) Months

The tenderer, identified in the Offer signature block, has

either	examined the documents listed in the Tender Data and addenda thereto as listed in the Returnable Schedules, and by submitting this Offer has accepted the Conditions of Tender.
or	examined the draft contract as listed in the Acceptance section and agreed to provide this Offer.

By the representative of the tenderer, deemed to be duly authorised, signing this part of this Form of Offer and Acceptance the tenderer offers to perform all of the obligations and liabilities of the *Supplier* under the contract including compliance with all its terms and conditions according to their true intent and meaning for an amount to be determined in accordance with the *conditions of contract* identified in the Contract Data.

The offered total of the Prices exclusive of VAT is	R
Value Added Tax @ 15% is	R
The offered total of the amount due inclusive of VAT is ¹	R
(in words)	

This Offer may be accepted by the Purchaser by signing the Acceptance part of this Form of Offer and Acceptance and returning one copy of this document including the Schedule of Deviations (if any) to the tenderer before the end of the period of validity stated in the Tender Data, or other period as agreed, whereupon the tenderer becomes the party named as the *Supplier* in the *conditions of contract* identified in the Contract Data.

Signature(s)			
Name(s)			
Capacity			
For the tenderer:			
	(Insert name and address of organisation)		
Name & signature of witness		Date	

PART C2: PRICING DATA PAGE 3 C2 SC3 COVER

¹ This total is required by the *Purchaser* for budgeting purposes only. Actual amounts due will be assessed in terms of the *conditions of contract*.

ESKOM HOLDINGS SOC Ltd CONTRACT NO. _____CONTRACT TITLE: SUPPLY AND DELIVERY OF CONTROL AND INSTRUMENTATION SPARES AT ARNOT POWER STATION FOR SIXTY (60) MONTHS

Acceptance

By signing this part of this Form of Offer and Acceptance, the Purchaser identified below accepts the tenderer's Offer. In consideration thereof, the Purchaser shall pay the Supplier the amount due in accordance with the *conditions of contract* identified in the Contract Data. Acceptance of the tenderer's Offer shall form an agreement between the Purchaser and the tenderer upon the terms and conditions contained in this agreement and in the contract that is the subject of this agreement.

The terms of the contract, are contained in:

Part C1	Agreements and Contract Data, (which includes this Form of Offer and Acceptance)
Part C2	Pricing Data
Part C3	Scope of Work: Goods Information including Supply Requirements

and drawings and documents (or parts thereof), which may be incorporated by reference into the above listed Parts.

Deviations from and amendments to the documents listed in the Tender Data and any addenda thereto listed in the Returnable Schedules as well as any changes to the terms of the Offer agreed by the tenderer and the Purchaser during this process of offer and acceptance, are contained in the Schedule of Deviations attached to and forming part of this Form of Offer and Acceptance. No amendments to or deviations from said documents are valid unless contained in this Schedule.

The tenderer shall within two weeks of receiving a completed copy of this agreement, including the Schedule of Deviations (if any), contact the Purchaser's agent (whose details are given in the Contract Data) to arrange the delivery of any securities, bonds, guarantees, proof of insurance and any other documentation to be provided in terms of the *conditions of contract* identified in the Contract Data at, or just after, the date this agreement comes into effect. Failure to fulfil any of these obligations in accordance with those terms shall constitute a repudiation of this agreement.

Notwithstanding anything contained herein, this agreement comes into effect on the date when the tenderer receives one fully completed and signed original copy of this document, including the Schedule of Deviations (if any).

Signature(s)			
Name(s)			
Capacity			
for the Purchaser	Eskom Holdings SOC Ltd, Megawatt Pa 2199	rk, Maxwell Dr	ive, Sandton, Johannesburg,
	(Insert name and address of organisation)		
Name & signature of witness		Date	

Note: If a tenderer wishes to submit alternative tenders, use another copy of this Form of Offer and Acceptance.

ESKOM HOLDINGS SOC Ltd CONTRACT NO. ____CONTRACT TITLE: SUPPLY AND DELIVERY OF CONTROL AND INSTRUMENTATION SPARES AT ARNOT POWER STATION FOR SIXTY (60) MONTHS

Schedule of Deviations to be completed by the *Purchaser* prior to contract award Note:

- 1. This part of the Offer & Acceptance would not be required if the contract has been developed by negotiation between the Parties and is not the result of a process of competitive tendering.
- 2. The extent of deviations from the tender documents issued by the Purchaser prior to the tender closing date is limited to those permitted in terms of the Conditions of Tender.
- 3. A tenderer's covering letter must not be included in the final contract document. Should any matter in such letter, which constitutes a deviation as aforesaid be the subject of agreement reached during the process of Offer and Acceptance, the outcome of such agreement shall be recorded here, and the final draft of the contract documents shall be revised to incorporate the effect of it.

No.	Subject	Details
1	[•]	[•]
2	[•]	[•]
3	[•]	[•]
4	[•]	[•]
5	[•]	[•]
6	[•]	[•]
7	[•]	[•]

By the duly authorised representatives signing this Schedule of Deviations below, the Purchaser and the tenderer agree to and accept this Schedule of Deviations as the only deviations from and amendments to the documents listed in the Tender Data and any addenda thereto listed in the Tender Schedules, as well as any confirmation, clarification or changes to the terms of the Offer agreed by the tenderer and the Purchaser during this process of Offer and Acceptance.

It is expressly agreed that no other matter whether in writing, oral communication or implied during the period between the issue of the tender documents and the receipt by the tenderer of a completed signed copy of this Form shall have any meaning or effect in the contract between the parties arising from this Agreement.

	For the tenderer:	For the Purchaser
Signature		
Name		
Capacity		
On behalf of	(Insert name and address of organisation)	Eskom Holdings SOC Ltd, Reg No: 2002/015527/06), Arnot Power Station, Private Bag x2, Rietkuil 1097
Name & signature of witness		
Date		

C1.2 SC3 Contract Data

Part one - Data provided by the Purchaser

Completion of this data in full, according to the Options chosen, is essential to create a complete contract.

Clause	Statement	Data
1	General	
	The conditions of contract are the core clauses and the clauses for Options	
		X1: Price adjustment for inflation
		X2 Changes in the law
		X7: Delay damages
		Z: Additional conditions of contract
	of the NEC3 Supply Contract (April 2013) $^{\rm 2}$	
10.1	The Purchaser is (name):	Eskom Holdings SOC Ltd (reg no: 2002/015527/30), a state-owned company incorporated in terms of the company laws of the Republic of South Africa
	Address	Registered office at Megawatt Park, Maxwell Drive, Sandton, Johannesburg
	Tel No.	[•]
	Fax No.	[•]
10.1	The Supply Manager is (name):	
	Address	Eskom Holdings SOC Limited (Reg No: 2002/015527/06) Arnot Power Station Private Bag x2, Rietkuil 1097
	Tel	[•]
	Fax	[•]
	e-mail	[•]
11.2(13)	The goods are	Control and Instrumentation spares
11.2(13)	The services are	Supply and Delivery of Control and Instrumentation Spares at Arnot Power Station for Sixty (60) Months

² Available from Engineering Contract Strategies Tel 011 803 3008 Fax 086 539 1902, www.ecs.co.za.

11.2(14)	The following matters will be included in the Risk Register	Late deliveries Supply and Delivery of Goods that failed to meet contractual specifications
11.2(15)	The Goods Information is in	Part 3: Scope of Work and all documents and drawings to which it makes reference.
11.2(15)	The Supply Requirements as part of the Goods Information is in	Annexure A to this Contract Data
12.2	The law of the contract is the law of	the Republic of South Africa
13.1	The language of this contract is	English
13.3	The period for reply is	5 working days
2	The <i>Supplier's</i> main responsibilities	Data required by this section of the core clauses is provided by the <i>Supplier</i> in Part 2 and terms in italics used in this section are identified elsewhere in this Contract Data.
3	Time	
30.1	The starting date is.	ТВА
30.1	The delivery date of the goods and services is:	goods and services delivery date
		1 Control and Instrumentation Spares As stated in every Purchase Order issued
30.2	The Supplier does not bring the goods to the Delivery Place more than one week before the Delivery Date.	N/A
31.1	The Supplier is to submit a first programme for acceptance within	1 week of the Contract Date
32.2	The <i>Supplier</i> submits revised programmes at intervals no longer than	N/A
4	Testing and defects	
42	The defects date is	52 weeks after delivery of goods and services
42.2	The defects access period is	7 days
43.2	The defect correction period is	2 weeks after delivery of goods or as agreed by the parties
5	Payment	
50.1	The assessment interval is	Between the 25 th day of each successive month or upon safe delivery and having met all the required standard and signed off
51.1	The currency of this contract is the	South African Rand (ZAR)
51.2	The period within which payments are made is	30 days after the receipt of correct and undisputed tax invoice.

51.4	The interest rate is	the publicly quoted prime rate of interest (calculated on a 365-day year) charged from time to time by the Standard Bank of South Africa Limited (as certified, in the event of any dispute, by any manager of such bank, whose appointment it shall not be necessary to prove) for amounts due in Rands.
6	Compensation events	There is no reference to Contract Data in this section of the core clauses and terms in italics used in this section are identified elsewhere in this Contract Data.
7	Title	There is no reference to Contract Data in this section of the core clauses and terms in italics used in this section are identified elsewhere in this Contract Data.
8	Risks, liabilities, indemnities and insurance	
80.1	These are additional Purchaser's risks	None
88.1	The Supplier's liability to the Purchaser for indirect or consequential loss, including loss of profit, revenue and goodwill is limited to	R0.0 (Zero Rand)
9	Termination and dispute resolution	
94.1	The <i>Adjudicator</i> is	The person selected from the ICE-SA Division (or its successor body) of the South African Institution of Civil Engineering Panel of Adjudicators by the Party intending to refer a dispute to him. (see www.ice-sa.org.za). If the Parties do not agree on an Adjudicator the
		Adjudicator will be appointed by the Arbitration Foundation of Southern Africa (AFSA).
	Address	
	Address Tel No.	Foundation of Southern Africa (AFSA).
		Foundation of Southern Africa (AFSA). [•]
	Tel No.	Foundation of Southern Africa (AFSA). [•]
94.2(3)	Tel No. Fax No.	Foundation of Southern Africa (AFSA). [•] [•]
94.2(3)	Tel No. Fax No. e-mail	Foundation of Southern Africa (AFSA). [•] [•] [•] the Chairman of ICE-SA, a Division of the South African Institution of Civil Engineering,
	Tel No. Fax No. e-mail The Adjudicator nominating body is:	Foundation of Southern Africa (AFSA). [•] [•] [•] the Chairman of ICE-SA, a Division of the South African Institution of Civil Engineering, or its successor body (See www.ice-sa.org.za)

The person or organisation who will choose an arbitrator

- if the Parties cannot agree a choice or
- if the arbitration procedure does not state who selects an arbitrator, is

the Chairman for the time being or his nominee of the Association of Arbitrators (Southern Africa) or its successor body.

10 Data for Option clauses

X1	Price adjustment for inflation				
X1.1	The base date for indices is	[•].			
	The proportions used to calculate the Price Adjustment Factor are:	proport ion	linked to index for	Index prepared by	
		15%	Fixed	Fixed Portion	
		2%	СРІ	SEIFSA Table D4	
		68%	Material	SEIFSA Table U (Final Manufactured Goods)	
		15%	Transport	SEIFSA Table L2 (B)	
		100%			
X2	Changes in the law				
X2.1	A change in the law of	Is a com Contrac		t if it occurs after the	
X7	Delay damages				
X7.1	Delay damages for Delivery are	Delivery	of	amount per day	
		Incorrect items or late delivery		1% of purchase order value per day up to a maximum of 10% of purchase order value	
Z	The additional conditions of contract are	Z1 to Z1	5 always apply f	or Eskom	

Z1 Cession delegation and assignment

- Z1.1 The *Supplier* does not cede, delegate or assign any of its rights or obligations to any person without the written consent of the *Purchaser*.
- Z1.2 Notwithstanding the above, the *Purchaser* may on written notice to the *Supplier* cede and delegate its rights and obligations under this contract to any of its subsidiaries or any of its present divisions or operations which may be converted into separate legal entities as a result of the restructuring of the Electricity Supply Industry.

ESKOM HOLDINGS SOC Ltd CONTRACT NO. _____CONTRACT TITLE: SUPPLY AND DELIVERY OF CONTROL AND INSTRUMENTATION SPARES AT ARNOT POWER STATION FOR SIXTY (60) MONTHS

Z2 Joint ventures

- Z2.1 If the *Supplier* constitutes a joint venture, consortium or other unincorporated grouping of two or more persons or organisations then these persons or organisations are deemed to be jointly and severally liable to the *Purchaser* for the performance of this contract.
- Z2.2 Unless already notified to the *Purchaser*, the persons or organisations notify the *Supply Manager* within two weeks of the Contract Date of the key person who has the authority to bind the *Supplier* on their behalf.
- Z2.3 The *Supplier* does not alter the composition of the joint venture, consortium or other unincorporated grouping of two or more persons without the consent of the *Purchaser* having been given to the *Supplier* in writing.

Z3 Change of Broad Based Black Economic Empowerment (B-BBEE) status

- Z3.1 Where a change in the *Supplier's* legal status, ownership or any other change to his business composition or business dealings results in a change to the *Supplier's* B-BBEE status, the *Supplier* notifies the *Purchaser* within seven days of the change.
- Z3.2 The *Supplier* is required to submit an updated verification certificate and necessary supporting documentation confirming the change in his B-BBEE status to the *Supply Manager* within thirty days of the notification or as otherwise instructed by the *Supply Manager*.
- Z3.3 Where, as a result, the *Supplier's* B-BBEE status has decreased since the Contract Date the *Purchaser* may either re-negotiate this contract or alternatively, terminate the *Supplier's* obligation to Provide the Goods and Services.
- Z3.4 Failure by the *Supplier* to notify the *Purchaser* of a change in its B-BBEE status may constitute a reason for termination. If the *Purchaser* terminates in terms of this clause, the procedures on termination are P1, P2 and P3 as stated in clause 92, and the amount due is A1 and A3 as stated in clause 93.

Z4 Confidentiality

- Z4.1 The Supplier does not disclose or make any information arising from or in connection with this contract available to Others. This undertaking does not, however, apply to information which at the time of disclosure or thereafter, without default on the part of the Supplier, enters the public domain or to information which was already in the possession of the Supplier at the time of disclosure (evidenced by written records in existence at that time). Should the Supplier disclose information to Others in terms of clause 23.1, the Supplier ensures that the provisions of this clause are complied with by the recipient.
- Z4.2 If the *Supplier* is uncertain about whether any such information is confidential, it is to be regarded as such until notified otherwise by the *Supply Manager*.
- Z4.3 In the event that the Supplier is, at any time, required by law to disclose any such information which is required to be kept confidential, the Supplier, to the extent permitted by law prior to disclosure, notifies the Purchaser so that an appropriate protection order and/or any other action can be taken if possible, prior to any disclosure. In the event that such protective order is not, or cannot, be obtained, then the Supplier may disclose that portion of the information which it is required to be disclosed by law and uses reasonable efforts to obtain assurances that confidential treatment will be afforded to the information so disclosed.
- Z4.4 The taking of images (whether photographs, video footage or otherwise) of the *goods* or any portion thereof, in the course of Providing the Goods and Services and after Delivery, requires the prior written consent of the *Supply Manager*. All rights in and to all such images vests exclusively in the *Purchaser*.

Z4.5 The Supplier ensures that all his subcontractors abide by the undertakings in this clause.

Z5 Waiver and estoppel: Add to core clause 12.3:

Z5.1 Any extension, concession, waiver or relaxation of any action stated in this contract by the Parties, the *Supply Manager* or the *Adjudicator* does not constitute a waiver of rights and does not give rise to an estoppel unless the Parties agree otherwise and confirm such agreement in writing.

Z6 Health, safety and the environment: Add to core clause 25.4

Z6.1 The *Supplier* undertakes to take all reasonable precautions to maintain the health and safety of persons in and about the provision of the *goods* and execution of the *services*.

Without limitation the Supplier.

- warrants that the total of the Prices as at the Contract Date includes a sufficient amount for proper compliance with all applicable health & safety laws and regulations and the health and safety rules, guidelines and procedures provided for in this contract and generally for the proper maintenance of health & safety in and about the execution of supply and
- undertakes, in and about the execution of the supply, to comply with all applicable health & safety laws and regulations and rules, guidelines and procedures otherwise provided for under this contract and ensures that his Subcontractors, employees and others under the Supplier's direction and control, likewise observe and comply with the foregoing.
- Z6.2 The Supplier, in and about the execution of the supply, complies with all applicable environmental laws and regulations and rules, guidelines and procedures otherwise provided for under this contract and ensures that his Subcontractors, employees and others under the Supplier's direction and control, likewise observe and comply with the foregoing.

Z7 Provision of a Tax Invoice and interest. Add to core clause 51

- Z7.1 Within one week of receiving a payment certificate from the *Supply Manager* in terms of core clause 51.1, the *Supplier* provides the *Purchaser* with a tax invoice in accordance with the *Purchaser*'s procedures stated in the Goods Information, showing the amount due for payment equal to that stated in the payment certificate.
- Z7.2 If the Supplier does not provide a tax invoice in the form and by the time required by this contract, the time by when the Purchaser is to make a payment is extended by a period equal in time to the delayed submission of the correct tax invoice. Interest due by the Purchaser in terms of core clause 51.2 is then calculated from the delayed date by when payment is to be made.
- Z7.3 The Supplier (if registered in South Africa in terms of the companies Act) is required to comply with the requirements of the Value Added Tax Act, no 89 of 1991 (as amended) and to include the Purchaser's VAT number 4740101508 on each invoice he submits for payment.

Z8 Notifying compensation events

Z8.1 Delete from the last sentence in core clause 61.3 the words, "unless the event arises from the Supply Manager giving an instruction, changing an earlier decision or correcting an assumption".

Z9 Purchaser's limitation of liability

ESKOM HOLDINGS SOC Ltd CONTRACT NO. _____CONTRACT TITLE: SUPPLY AND DELIVERY OF CONTROL AND INSTRUMENTATION SPARES AT ARNOT POWER STATION FOR SIXTY (60) MONTHS

- Z9.1 The *Purchaser's* liability to the *Supplier* for the *Supplier's* indirect or consequential loss is limited to R0.00 (zero Rand)
- Z9.2 The *Supplier's* entitlement under the indemnity in 83.1 is provided for in 60.1(12) and the *Purchaser's* liability under the indemnity is limited.

Z10 Termination: Add to core clause 91.1, at the second main bullet point, fourth sub-bullet point, after the words "against it":

Z10.1 or had a business rescue order granted against it.

Z11 Addition to secondary Option X7 Delay damages (if applicable in this contract)

Z11.1 If the amount due for the Supplier's payment of delay damages reaches the limits stated in this Contract Data for Option X7, the Purchaser may terminate the Supplier's obligation to Provide the Goods and Services using the same procedures and payment on termination as those applied for reasons R1 to R15 or R18 stated in the Termination Table.

Z12 Ethics

For the purposes of this Z-clause, the following definitions apply:

Affected Party	means, as the context requires, any party, irrespective of whether it is the Supplier or
	modile, de tile collient reguines, dill, party, incoperative el miletine in a calpine.

a third party, such party's employees, agents, or Subcontractors or Subcontractor's

employees, or any one or more of all of these parties' relatives or friends,

Coercive Action

means to harm or threaten to harm, directly or indirectly, an Affected Party or the property of an Affected Party, or to otherwise influence or attempt to influence an

Affected Party to act unlawfully or illegally,

Collusive Action

means where two or more parties co-operate to achieve an unlawful or illegal

purpose, including to influence an Affected Party to act unlawfully or illegally,

Committing

Party

means, as the context requires, the *Supplier*, or any member thereof in the case of a joint venture, or its employees, agents, or Subcontractors or the Subcontractor's

employees,

Corrupt Action means the offering, giving, taking, or soliciting, directly or indirectly, of a good or

service to unlawfully or illegally influence the actions of an Affected Party,

Fraudulent Action

means any unlawfully or illegally intentional act or omission that misleads, or attempts to mislead, an Affected Party, in order to obtain a financial or other benefit or to avoid

an obligation or incurring an obligation,

Obstructive Action

means a Committing Party unlawfully or illegally destroying, falsifying, altering or concealing information or making false statements to materially impede an

investigation into allegations of Prohibited Action, and

Prohibited Action

means any one or more of a Coercive Action, Collusive Action Corrupt Action,

Fraudulent Action or Obstructive Action.

Z12.1 A Committing Party may not take any Prohibited Action during the course of the procurement of this contract or in execution thereof.

Z12.2 The *Purchaser* may terminate the *Supplier*'s obligation to Provide the Services if a Committing Party has taken such Prohibited Action and the *Supplier* did not take timely and appropriate action to prevent or remedy the situation, without limiting any other rights or remedies the *Purchaser* has. It is not required that the Committing Party had to have been found guilty, in court or in any other similar process, of such Prohibited Action before the *Purchaser* can

ESKOM HOLDINGS SOC Ltd CONTRACT NO. _____CONTRACT TITLE: SUPPLY AND DELIVERY OF CONTROL AND INSTRUMENTATION SPARES AT ARNOT POWER STATION FOR SIXTY (60) MONTHS

- terminate the Supplier's obligation to Provide the Services for this reason.
- Z12.3 If the *Purchaser* terminates the *Supplier's* obligation to Provide the Services for this reason, the amounts due on termination are those intended in core clauses 92.1 and 92.2.
- Z12.4 A Committing Party co-operates fully with any investigation pursuant to alleged Prohibited Action. Where the *Purchaser* does not have a contractual bond with the Committing Party, the *Supplier* ensures that the Committing Party co-operates fully with an investigation.

Z13 Insurance

Z __13.1 Replace core clause 84 with the following:

Insurance cover 84

- When requested by a Party, the other Party provides certificates from his insurer or broker stating that the insurances required by this contract are in force.
- The Supplier provides the insurances stated in the Insurance Table A for events which are at the Supplier's risk from the starting date until the last defects date or a termination certificate has been issued.

INSURANCE TABLE A	INS	URA	NCE	TABL	.E A
-------------------	-----	-----	-----	------	------

Insurance against	Minimum amount of cover or minimum limit of indemnity
Loss of or damage to the goods, plant and materials	The replacement cost where not covered by the <i>Purchaser's</i> insurance.
	The <i>Purchaser</i> 's policy deductible as at Contract Date, where covered by the <i>Purchaser</i> 's insurance.
Liability for loss of or damage to property (except the <i>goods</i> , plant and materials and equipment) and liability for bodily injury to or death of a person (not an employee of the <i>Supplier</i>) caused by activity in connection with this contract	Loss of or damage to property Purchaser's property The replacement cost where not covered by the Purchaser's insurance. The Purchaser's policy deductible as at Contract Date, where covered by the Purchaser's insurance. Other property The replacement cost
	Death of or bodily injury The amount required by the applicable law.
Liability for death of or bodily injury to employees of the <i>Supplier</i> arising out of and in the course of their employment in connection with this contract	The amount required by the applicable law

Z 13.2 Replace core clause 87 with the following:

Insurance by the *Purchaser*

87

87.1 The *Purchaser* provides the insurances stated in the Insurance Table B

INSURANCE TABLE B

Insurance against or name of policy	Minimum amount of cover or minimu of indemnity		
Assets All Risk	Per the insurance policy document		
Contract Works insurance	Per the insurance policy document		
Environmental Liability	Per the insurance policy document		
General and Public Liability	Per the insurance policy document		
Transportation (Marine)	Per the insurance policy document		
Motor Fleet and Mobile Plant	Per the insurance policy document		
Terrorism	Per the insurance policy document		
Cyber Liability	Per the insurance policy document		
Nuclear Material Damage and Business Interruption	Per the insurance policy document		

Nuclear Material Damage Terrorism	Per the insurance policy document
--------------------------------------	-----------------------------------

Z14 Nuclear Liability

- Z14.1 The *Purchaser* is the operator of the Koeberg Nuclear Power Station (KNPS), a nuclear installation, as designated by the National Nuclear Regulator of the Republic of South Africa, and is the holder of a nuclear licence in respect of the KNPS.
- Z14.2 The *Purchaser* is solely responsible for and indemnifies the *Supplier* or any other person against any and all liabilities which the *Supplier* or any person may incur arising out of or resulting from nuclear damage, as defined in Act 47 of 1999, save to the extent that any liabilities are incurred due to the unlawful intent of the *Supplier* or any other person or the presence of the *Supplier* or that person or any property of the *Supplier* or such person at or in the KNPS or on the KNPS site, without the permission of the *Purchaser* or of a person acting on behalf of the *Purchaser*.
- Z14.3 Subject to clause Z14.4 below, the *Purchaser* waives all rights of recourse, arising from the aforesaid, save to the extent that any claims arise or liability is incurred due or attributable to the unlawful intent of the *Supplier* or any other person, or the presence of the *Supplier* or that person or any property of the *Supplier* or such person at or in the KNPS or on the KNPS site, without the permission of the *Purchaser* or of a person acting on behalf of the *Purchaser*.
- Z14.4 The *Purchaser* does not waive its rights provided for in section 30 (7) of Act 47 of 1999, or any replacement section dealing with the same subject matter.
- Z14.5 The protection afforded by the provisions hereof shall be in effect until the KNPS is decommissioned.

Z15 Asbestos

For the purposes of this Z-clause, the following definitions apply:

AAIA means approved asbestos inspection authority.

ACM means asbestos containing materials.

AL means action level, i.e. a level of 50% of the OEL, i.e. 0.1 regulated asbestos

fibres per ml of air measured over a 4-hour period. The value at which proactive actions is required in order to control asbestos exposure to prevent exceeding the

OEL.

Ambient Air means breathable air in area of work with specific reference to breathing zone,

which is defined to be a virtual area within a radius of approximately 30cm from the

nose inlet.

Compliance Monitoring

means compliance sampling used to assess whether or not the personal exposure of workers to regulated asbestos fibres is in compliance with the Standard's requirements for safe processing, handling, storing, disposal and phase-out of

asbestos and asbestos containing material, equipment and articles.

OEL means occupational exposure limit.

Parallel means measurements performed in parallel, yet separately, to existing

Measurements measurements to verify validity of results.

Safe Levels means airborne asbestos exposure levels conforming to the Standard's

requirements for safe processing, handling, storing, disposal and phase-out of

asbestos and asbestos containing material, equipment and articles.

Standard means the *Purchaser*'s Asbestos Standard 32-303: Requirements for Safe

Processing, Handling, Storing, Disposal and Phase-out of Asbestos and Asbestos

Containing Material, Equipment and Articles.

SANAS means the South African National Accreditation System.

TWA means the average exposure, within a given workplace, to airborne asbestos

fibres, normalised to the baseline of a 4-hour continuous period, also applicable to

short term exposures, i.e. 10-minute TWA.

- Z15.1 The *Purchaser* ensures that the Ambient Air in the area where the *Supplier* will Provide the Services conforms to the acceptable prescribed South African standard for asbestos, as per the regulations published in GNR 155 of 10 February 2002, under the Occupational Health and Safety Act, 1993 (Act 85 of 1993) ("Asbestos Regulations"). The OEL for asbestos is 0.2 regulated asbestos fibres per millilitre of air as a 4-hour TWA, averaged over any continuous period of four hours, and the short-term exposure limit of 0.6 regulated asbestos fibres per millilitre of air as a 10-minute TWA, averaged over any 10 minutes, measured in accordance with HSG248 and monitored according to HSG173 and OESSM.
- Z15.2 Upon written request by the Supplier, the Purchaser certifies that these conditions prevail. All measurements and reporting are affected by an independent, competent, and certified occupational hygiene inspection body, i.e. a SANAS accredited, and Department of Employment and Labour approved AAIA. The Supplier may perform Parallel Measurements and related control measures at the Supplier's expense. For the purposes of compliance, the results generated from Parallel Measurements are evaluated only against South African statutory limits as detailed in clause Z15.1. Control measures conform to the requirements stipulated in the AAIA-approved asbestos work plan.
- Z15.3 The Purchaser manages asbestos and ACM according to the Standard.
- Z15.4 In the event that any asbestos is identified while Providing the Services, a risk assessment is conducted and if so required, with reference to possible exposure to an airborne concentration of above the AL for asbestos, immediate control measures are implemented and relevant air monitoring conducted in order to declare the area safe.
- Z15.5 The Supplier's personnel are entitled to stop working and leave the contaminated area forthwith until such time that the area of concern is declared safe by either Compliance Monitoring or an AAIA approved control measure intervention, for example, per the emergency asbestos work plan, if applicable.
- Z15.6 The Supplier continues to Provide the Services, without additional control measures presented, on presentation of Safe Levels. The contractually agreed dates to Provide the Services, including the Completion Date, are adjusted accordingly. The contractually agreed dates are extended by the notification periods required by regulations 3 and 21 of the Asbestos Regulations.
- Z15.7 Any removal and disposal of asbestos, asbestos containing materials and waste, is done by a registered asbestos contractor, instructed by the *Purchaser* at the *Purchaser*'s expense, and conducted in line with South African legislation.

Annexure A: Supply Requirements

The Supply Requirements for this contract are based on the use of INCOTERMS:

The Supplier supplies the goods in accordance with INCOTERMS 2020³ as follows:

Group	Category	Term	Delivery Place
D	arrival	DDP	

The Parties obligations described in Incoterms for the category and term selected are now incorporated into this contract as part of the Supply Requirements and hence the Goods Information.

The obligations of seller and buyer for the selected Incoterm determine each Party's costs, risks and insurance requirements incidental to the supply and transport of the *goods* from *Supplier* to *Purchaser*.

For each of the thirteen terms, Incoterms set out obligations of the seller (the *Supplier*) in ten paragraphs identified as A1 to A10 and the corresponding obligations of the buyer (the *Purchaser*) in paragraphs B1 to B10. These obligations cover the following subjects:

Α	The Supplier's obligations	В	The Purchaser's obligations
A 1	Provision of goods in conformity with contract	B1	Payment of the price
A2	Licences, authorisations and formalities	B2	Licences, authorisations and formalities
А3	Contracts of carriage and insurance	В3	Contracts of carriage and insurance
A4	Delivery	B4	Taking delivery
A5	Transfer of risks	B5	Transfer of risks
A6	Division of costs	В6	Division of costs
A7	Notice to the buyer	B7	Notice to the seller
A8	Proof of delivery, transport document or equivalent electronic message	B8	Proof of delivery, transport document or equivalent electronic message
A9	Checking - packing - marking	В9	Inspection of goods
A10	Other obligations	B10	Other obligations

All other information NOT pertinent to the above is given in the balance of the Goods Information

³ International Chamber of Commerce, Incoterms 2020, Paris, January 2020

ESKOM HOLDINGS SOC Ltd CONTRACT NO. CONTRACT TITLE: SUPPLY AND DELIVERY OF CONTROL AND INSTRUMENTATION SPARES AT ARNOT POWER STATION FOR SIXTY (60) MONTHS

The Supply Requirements for this contract are as follows: [Use these when INCOTERMS do not apply].

1. The requirements for the supply are	Control and Instrumentation spares				
2. The requirements for transport are	The Supplier is responsible for transporting the goods to Site. The Supplier takes responsibility of the goods while in transit i.e. insurances etc. Goods are to be off loaded at Arnot Power Station Main Stores Receiving				
3. The delivery place is	Eskom Arnot Power Station				
4. Actions of the Parties during supply	Action Party which does it				
	Giving notice of Delivery Supplier				
	Checking packing and marking before dispatch				
	Contracting for transport Supplier				
	Pay costs of transport Supplier				
	Arrange access to delivery place Purchaser				
	Loading the goods Supplier				
	Unloading the goods	Purchaser			
For international procurement	Undertake export requirements	Supplier			
	Undertake import requirements	Supplier			
5. Information to be provided by the Supplier	Title of document				
	Packing lists for cases and their contents				
	Copy of invoice for the goods				
	Delivery Note				
	Test results and maintenance manuals				

All other information NOT pertinent to the above is given in the balance of the Goods Information

ESKOM HOLDINGS SOC Ltd CONTRACT NO. _____CONTRACT TITLE: SUPPLY AND DELIVERY OF CONTROL AND INSTRUMENTATION SPARES AT ARNOT POWER STATION FOR SIXTY (60) MONTHS

Annexure B: Insurance provided by the *Purchaser*

These notes are provided as guidance to tendering Suppliers and the Supplier about the insurance provided by the Purchaser. These notes are not part of this contract. The Supplier must obtain its own advice.

Transit insurance of goods originating from outside the borders of the Republic of South Africa

For the purpose of supply contracts, the only insurance provided by Eskom (the *Purchaser*) is transit shipment cover, commonly known as Marine Insurance for air, sea, rail and road freight (including local land arrangements) for conveyance of *goods* originating outside RSA. Please consult the website stated below to ascertain whether Format A, Format B or Format Dx is applicable to this contract and then the

- Marine Insurance Policy wording;
- Eskom Shipment Policies and Procedures note a pre-shipment survey form has to be completed under certain circumstances;
- Marine Claims Handling Procedures for important shipment actions and claims forms in event of damages to cargo freight via sea, barge, air, road or rail.

For EXW (Ex Works collections) this is of no concern to the *Supplier* but for any other Supply Requirement (such as CIF, DDU, or DDP) the *Supplier* need not provide such insurance even if the INCOTERM requires it and tendering Suppliers should 'discount' their prices when tendering to allow for this provision by the *Purchaser* (Eskom).

Supplier's liability for damage to the Purchaser's property

Whilst this is a liability the *Supplier* carries and should cover (if he is required to deliver the *goods* to the *Purchaser*'s premises) his liability is limited to the amount of cover provided to the *Purchaser* within his assets policy. This amount varies depending on the Division within Eskom to which the *Supplier* is making the delivery. For any one occurrence or series of occurrences arising out of one event but unlimited during the period of insurance the *Supplier*'s liability would be:

- R15million for Generation Division projects,
- R7.5million for Transmission Division projects or
- R1.0million for Distribution Division projects

All other insurance

As required by clause 84, the *Supplier* provides all other insurance for his risks. The *Supplier* should give further consideration to providing for these additional insurance concepts [for amounts and periods of insurance the *Supplier* deems fit and necessary].

<u>Professional Indemnity</u>: The insurance provided shall indemnify the *Supplier* (and/or his professional consultant) for those sums which the *Supplier* or his consultant shall become legally liable to pay as damages arising from any claim first made against the *Supplier* / consultant and reported to their insurers during the Period of Insurance, directly arising out of any negligent act, error or omission committed or alleged to have been committed by the *Supplier* / consultant in the conduct of <u>professional services</u> (for example, design) in connection with this contract.

<u>Products Liability</u>: A special General Liability extension for liability arising out of the *Supplier's* <u>defective</u>:

- production and manufacturing process (workmanship or material), or
- product design, or
- warnings, instructions, usage and maintenance manuals and specifications.

For any further explanation of insurance requirements tendering Suppliers are advised to consult their brokers or insurers who may in turn contact Eskom Insurance Management Services per contact details provided on the following website:

http://www.eskom.co.za/Tenders/InsurancePoliciesProcedures/Pages/EIMS Policies From_1_April_2014_To_31_March_2015.aspx

C1.2 Contract Data

Part two - Data provided by the Supplier

Notes to a tendering Supplier:

- 1. Please read both the NEC3 Supply Contract (SC3)⁴ and the relevant parts of its Guidance Notes (SC3-GN)⁵ in order to understand the implications of this Data which the tenderer is required to complete.
- 2. The number of the clause which requires the data is shown in the left hand column for each statement however other clauses may also use the same data
- 3. Where a form field like this [] appears, data is required to be inserted relevant to the option selected. Click on the form field *once* and type in the data. Otherwise complete by hand and in ink.

Completion of the data in full, according to Options chosen, is essential to create a complete contract.

Clause	Statement	Data	
10.1	The Supplier is (Name):		
	Address		
	Tel No.		
	Fax No.		
11.2(8)	The Goods Information for the <i>Supplier's</i> design is in:	Annexure A	
11.2(11)	The tendered total of the Prices is	R , (in words)	
11.2(12)	The price schedule is in:		
11.2(14)	The following matters will be included in the Risk Register	None	
25.2	The restrictions to access for the <i>Supply Manager</i> and Others to work being done for this contract are	None	
30.1	The delivery date of the goods and services is:	goods and services	delivery date
		1 Stated in every Purchase Order	
31.1	The programme identified in the Contract Data is contained in:	As per the Purchase Order	
63.2	The percentage for overheads and profit added to the Defined Cost is		

PART C2: PRICING DATA PAGE 20 C2 SC3 COVER

⁴ Either April 2013 or December 2009 Edition as stated by *Purchaser* in Contract Data part 1.

⁵ Available from Engineering Contract Strategies Tel 011 803 3008, Fax 086 539 1902, or www.ecs.co.za

PART 2: PRICING DATA

NEC3 Supply Contract

Document reference	Title	No of pages
C2	.1 Pricing assumptions	2
C2	.2 The price schedule	2

C2.1 Pricing assumptions

How goods and services are priced and assessed for payment

Clause 11 in NEC3 Supply Contract, (SC3) core clauses states:

Identified and 11 defined terms 11.2

(11) The Prices are the amounts stated in the price column of the Price Schedule. Where a quantity is stated for an item in the Price Schedule, the Price is calculated by multiplying the quantity by the rate.

(12) The Price Schedule is the *price schedule* unless later changed in accordance with this contract.

Assessing the amount due

The amount due is

- the Price for each lump sum item in the Price Schedule which the Supplier has completed,
- where a quantity is stated for an item in the Price Schedule, an amount calculated by multiplying the quantity which the Supplier has completed by the rate
- plus other amounts to be paid to the Supplier,
- less amounts to be paid by or retained from the Supplier.

Any tax which the law requires the *Purchaser* to pay to the *Supplier* is included in the amount due.

This confirms that the Supply Contract is a priced contract where the Prices are derived from a list of items of *goods* and *services* which can be priced as lump sums or as expected quantities of *goods* and *services* multiplied by a rate, or a mix of both.

Function of the Price Schedule

50.2

Clause 53.1 states: "Information in the Price Schedule is not Goods Information". This confirms that instructions to do work or how it is to be done are not included in the Price Schedule but in the Goods Information. This is further confirmed by Clause 20.1 which states, "The *Supplier* Provides the Goods and Services in accordance with the Goods Information". Hence the *Supplier* does **not** Provide the Goods and Services in accordance with the Price Schedule. The Price Schedule is only a pricing document.

Preparing the *price schedule*

Items in the *price schedule* may have been inserted by the *Purchaser* and the tendering supplier should insert any additional items which he considers necessary. Whichever party provides the items in the *price schedule* the total of the Prices is assumed to be fully inclusive of everything necessary to Provide the Goods and Services as described at the time of entering into this contract.

It will be assumed that the tendering supplier has

- Read Pages 8, 11, 12 and Appendix 5 of the SC3 Guidance Notes before preparing the price schedule;
- Included in his Prices and rates for correction of Defects (core clause 43.1) as there is no compensation event for this unless the Defect is due to a *Supplier's* risk;
- Spread the cost of doing work he chooses not to list as separate items in the price schedule
 across other Prices and rates in order to fulfil the obligation to Provide the Goods and Services for
 the tendered total of the Prices;
- Understood that there is no adjustment to lump sum prices in the price schedule if the amount, or quantity, of work within that lump sum item later turns out to be different to that which the Supplier estimated at time of tender. The only basis for a change to the Prices is as a result of a compensation event per clause 60.1;

ESKOM HOLDINGS SOC Ltd CONTRACT NO. _____CONTRACT TITLE: SUPPLY AND DELIVERY OF CONTROL AND INSTRUMENTATION SPARES AT ARNOT POWER STATION FOR SIXTY (60) MONTHS

• Understood that the *Supplier* does not have to allow in his Prices and rates for matters that may arise as a result of a compensation event.

Format of the price schedule

Entries in the first four columns in the *price schedule* in section C2.2 are made either by the *Purchaser* or the tendering supplier.

If the *Supplier* is to be paid an amount for the item which is not adjusted if the quantity of work in the item changes, the tendering supplier enters the amount in the Price column only, the Unit, Quantity and Rate columns being left blank.

If the *Supplier* is to be paid an amount for the item which is the rate for the item multiplied by the quantity completed, the tendering *Supplier* enters the rate which is then multiplied by the Quantity to produce the Price, which is also entered.

If the *Supplier* is to be paid an amount for an item proportional to the length of time for which the *goods* and *services* are provided, a unit of time is stated in the Unit column and the length of time (as a quantity of the stated units of time) is stated in the Quantity column.

C2.2 the price schedule

ITEM No.	DESCRIPTION	UNIT	QUANTITY	RATE	AMOUNT
1	TRANSDUCER: TYPE: SU-1625 MAGNETIC SUPPORT; INPUT: 4-20 MA; OUTPUT: +16 ACOUSTIC DB; POWER SOURCE: 24 VDC; APPLICATION: PROBES FOR LIQUID FLOW METERING; SPECIFICATION: DN100 TO DN2500 (REFLEX MODE) OR DN600 (DIRECT MODE); REFERENCE NO: 1599; PIPE NATURE: STEEL, STAINLESS STEEL, CAST IRON, CEMENT LINED, PLASTIC (PVC ,PEHD); COMPOSITE (CAST IRON, ASBESTOS, GLASS); ASSOCACIATED TO A CONVERTER AND SAFETY BARRIER BZ 01, THESE PROBES CAN BE CE 0081 II 1 G EEX IA IIB T3 TO T6	Each	20		
2	MODULE: TYPE: II 3 G EX EC IIC T4 GC; INPUT: 24 VDC; OUTPUT: 200 MA; POWER SOURCE: 24 VDC; APPLICATION: PROFIBUS MASTER/SLAVE TERMINAL; DIMENSIONS: W24 X H 100 X D 52 MM; SPECIFICATION: CONFORMING TO EN 60715; COMMERCIAL SIZE: 70 G; MANUF P/N: EL 6731; PROFIBUS MASTER TERMINAL EL6731 SUPPORTS THE PROFIBUS PTOTCOL, CYCLE TIMES FROM 200 MICRO SECONDS, MASTER OR SLAVE UP TO 12MBIT/S, ERROR MANAGEMENT FOR EACH BUS USER FREELY CONFIGURABLE; CXV 12; REVISION 1.4; ITEM NUMBER:6; BECKHOFF OEM	Each	10		
3	MODULE: TYPE: EN 61131-2 TYPE 3; INPUT: 24 VDC; OUTPUT: 24 (0.5A SHORT CIRCUIT PROOF) V; POWER SOURCE: 24 (-15%/+20%) VDC; APPLICATION: SINGLE CORE PROCESSOR; DIMENSIONS: W 49 X H 100 X D 73 MM; SPECIFICATION: EN 61131-2 (TYPE 1/3); COMMERCIAL SIZE: 142 G; SUPPL P/N: CX7080; THE CX7080 EMBEDDED PC WITH AN ARM CORTEX-M7 SINGLE-CORE PROCESSOR WITH 480MHZ HAS A SLOT FOR A MICRO SD CARD AND AN ETHERNET INTERFACE, ALSO OFFER TWO SERIAL INTERFACES ONE WITH RS232 AND ONE WITH RS485 PHYSICS	Each	10		
4	MODULE: TYPE: 1/3; INPUT: 24 VDC; OUTPUT: 100 MA; POWER SOURCE: 24 VDC; APPLICATION: 16 CHANNEL DIGITAL INPUT; DIMENSIONS: W 12 X H 100 X D 68 MM; SPECIFICATION: CONFORMING TO EN 61131-2; COMMERCIAL SIZE: 65 G; MANUF P/N: EL 1809; THE EL1809 ETHERCAT	Each	10		

PART C3: SCOPE OF WORK 1 C3 SC3 COVER PAGE

	TOR SIXTT (00) WONTHS	•		•	
	TERMINAL HAS 16 CHANNELS; WHOSE				
	SIGNAL STATES ARE INDICATED BY LED'S				
	WITH 3 MS INPUT; THE REFERENCE				
	GROUND FOR ALL INPUTS IS THE 0V				
	POWER CONTACT; CXV 15, BECKHOFF;				
	REVISION: 1.4; ITEM NUMBER:1.7 OEM				
ITEM	DESCRIPTION	UNIT	QUANTITY	RATE	AMOUNT
No.	DEGORII TION	Oluli	QUARTITI	IVAIL	Amount
5	MODULE: TYPE: 1/3; INPUT: 24 VDC;	Each	10		
3	OUTPUT: 0-20 MA; POWER SOURCE: 24	Lacii	10		
	VDC; APPLICATION: 8 CHANNEL ANALOG				
	INPUT; DIMENSIONS: W 12 X H 100 X D 68				
	MM; SPECIFICATION: EN 60068-2-6/;				
	COMMERCIAL SIZE: 65 G; MANUF P/N: EL				
	3048; THE EL3048 ANALOG INPUT				
	TERMINAL PROCESSES SIGNALS IN THE				
	RANGE BETWEEN 0-20MA FILTER;				
	CONVERSION TIME: 1.25MS DEFAULT				
	SETTING, CONFIGURABLE, MULTIPLEX;				
	POWER SUPPLY: VIA THE E-BUS; CXV 16				
	BECKOFF VERSION 1.2, ITEM NUMBER: 1;				
	BECKHOFF IS A OEM	—	10		
6	MODULE: TYPE: SENSOR CARD; INPUT: 0-10	Each	10		
	VDC; OUTPUT: 0-10 VDC; POWER SOURCE: -				
	10 TO +10 VDC; APPLICATION: INPUT CARD				
	FOR MILL PHONE SIGNAL; DIMENSIONS: WD				
	130 X LG 100 MM; SPECIFICATION: SONIC				
	SENSOR CARD SS-50; COMMERCIAL SIZE:				
	•				
	WD 130 X LG 100 MM MM; MANUF P/N:				
	11005411				
7	SWITCH, LIMIT: POTENTIAL: 250 VAC;	Each	20		
	CURRENT: 10 A; ACTION: SPDT; ACTUATOR:				
	ES-00619-1R3; CONTACT ARRANGEMENT:				
	1NO; ENCLOSURE: RESIN; POWER: 250				
	VAC; DIMENSIONS: 146X100X96 MM;				
	APPLICATION: BUTTERFLY VALVE WITH				
	GEARBOX; ENCLOSURE RATING: IP66;				
	CLASSIFICATION: NON-HAZARDOUS AREA;				
	MANUF P/N: TVA-M2WYNCM; DRAWING NO:				
	0.84/12810 REV 0; CONDUIT ENTRIES: 2 X				
	M20; TEMP RATING: -40 TO 80 DEG CEL;				
	BUS SENSOR: 2 MECH; VISUAL DISPLAY: 90				
	DEG YELLOW OPEN/BLACK CLOSED; O-				
	RING MATERIAL: RUNA/EPBM	—	40		
8	ACTUATOR, PNEUMATIC: DIMENSIONS: WD	Each	40		
	174 X LG 424 X HT 238 MM; PRESSURE				
	RATING: 3-8 BAR; TRAVEL: 0-90 DEG;				
	OPERATED: PNEUMATIC; MATERIAL:				
	ALLOY; INLET CONNECTION TYPE:				
	THREADED; INLET CONNECTION SIZE: 1/4				
	IN; OUTLET CONNECTION TYPE:				
	THREADED; OUTLET CONNECTION SIZE: 1/4				
	IN; OPERATED RATING: 5-6 BAR; VENDORS				
	ARE RESPONSIBLE FOR ENSURING THAT				
	THEY ARE PERFORMING AGAINST THE				
	CORRECT DRAWING REVISION NUMBER (IF				
	APPLICABLE).	F = -1	00		
9	VALVE, SOLENOID: PIPE SIZE: 1/4 IN; STYLE:	Each	20		

STATION	FOR SIXTY (60) MONTHS				
	3 WAY; POTENTIAL: 220 VAC; DESIGN				
	RATING: 1-10 BAR; CONNECTION: THD				
	FEMALE; BODY MATERIAL: PVC; OPERATED:				
	NO; MEDIUM: AIR; POWER: 2 W; ORIFICE				
	SIZE: 0.6 MM; MODEL NO: 411-G-				
	· ·				
	H1/4/DNGB; 50 HZ; GENERAL PURPOSE				
	ENCLOSURE; 16 BAR; WITH MANUAL				
	CHANGE OVER				
ITEM	DESCRIPTION	UNIT	QUANTITY	RATE	AMOUNT
No.	2233 113.1		401111111	1011_	
10	VALVE, BALL: VALVE SIZE: 3/8 IN; DESIGN RATING: 10 BAR; TEMPERATURE RATING: 150 DEG C; CONNECTION: SW; BODY MATERIAL: SS 316; FACE TO FACE LENGTH: 120 MM; OPERATED: HAND; STYLE: 2 WAY; TRIM: SS 316; SOFTGOODS: PACKING: PTFE; APPLICATION: SECONDARY SAMPLING CONDITIONING PANEL; TYPE: GRAP SAMPLE; MANUF P/N: SPL.AV.SE-6A-B6XS2-SSP; .	Each	100		
11	VALVE, BALL: VALVE SIZE: G1/2 IN; DESIGN RATING: 0.05 MPA; TEMPERATURE RATING: 40 DEG C; CONNECTION: SCREWED; BODY MATERIAL: STEEL; FACE TO FACE LENGTH: 125 MM; OPERATED: LEVER; APPLICATION: VENT VALVE FUEL OIL FILTER 2 UNLOADING LINE1; 0 0EGA12 AA451; GRADE: AA; SUPPL P/N: 4B73660BFD0921A3E0401EAC4EFA61EA; INSPECTION CERTIFICATE ACC, EN 10204 - 3.1	Each	50		
12	TRANSMITTER, TEMPERATURE: RANGE: -40 TO 12 DEG C; OUTPUT: 4-20 MA; SUPPLY: 230 VAC; TYPE: THERMOCOUPLE; APPLICATION: CONTROL ROOM; MOUNT: BRACKET; CONNECTION: 4 WIRE; ENCLOSURE: IP65; DTH SENSE AIR TEMPERATURE AND HUMIDITY METER/ TRANSMITTER WITH AN ALTERNATING LED DISPLAY FOR USE INSIDE THE CONTROL CUBICLE	Each	25		
13	SAFETY FILE (FIXED)	SUM	1		
14	SAFETY FILE (TIME RELATED)	ANNUAL	4		
'*	OAI LITTILE (TIME RELATED)	ANNUAL	-		
	1	1	1		

PART 3: SCOPE OF WORK

Document reference	Title	No of pages
	This cover page	1
C3.1	Purchaser's Goods Information	8
C3.2	Supplier's Goods Information	1
	Total number of pages	

C3.1: PURCHASER'S GOODS INFORMATION

Contents

When the document is complete, insert a 'Table of Contents'. To do this go to: Reference, \rightarrow Table of Contents. Three levels and the title (but not the subtitle) may be shown if the formats used in this template are retained. Alternatively just update the table below when the drafting of the Goods Information is complete by clicking on 'References' then 'Update Table' then 'Update entire table'

		Scope of Work 4	
C3	.1: <i>Ρ</i> ι	urchaser's Goods Information 5	
1	(Overview and purpose of the <i>goods</i> and <i>services</i> 6	
2	;	Specification and description of the <i>goods</i> 6	
2	2.1	Purchaser's design	. 9
2	2.2	Procedure for submission and acceptance of Supplier's design	. 9
2	2.3	Other requirements of the Supplier's design	
2	2.4	Use of Supplier's design	. 9
2	2.5	Manufacture & fabrication	. 9
2	2.6	Factory acceptance testing (FAT)	. 9
2	2.7	Other tests and inspections and commissioning in place of use	. 9
2	2.8	Operating manuals and maintenance schedules	. 9
3	;	Supply Requirements 9	
4	;	Specification of the services to be provided 9	
5	(Constraints on how the Supplier Provides the Goods 9	
5	5.1	Programming constraints	. 9
5	5.2	Work to be done by the Delivery Date	10
5	5.3	Marking the goods	
5	5.4	Constraints at the delivery place and place of use	
5	5.5	Cooperating with Others	
5	5.6	Services & other things to be provided by the <i>Purchaser</i> or <i>Supplier</i>	
_	5.7	Management meetings	
	5.8	Documentation control	
	5.9	Health and safety risk management	
	5.10	Environmental constraints and management	
	5.11	Quality	
	5.12	Invoicing and payment	
	5.13	Insurance provided by the <i>Purchaser</i>	
	5.14	Contract change management	
	5.15	Provision of bonds and guarantees	13
	5.16	Records of Defined Cost, payments & assessments of compensation events to be kept by the	
	Suppl	ier	13
6		Procurement 13	
6	3.1	Subcontracting	13
	• • • • •	1 Preferred subcontractors 13	
	6.1.	J	
	6.1.	· · · · · · · · · · · · · · · · · · ·	
	6.1.	· · · · · · · · · · · · · · · · · · ·	
	6.1.	5 5 1	
7		List of drawings 13	
	7 .1	Drawings issued by the <i>Purchaser</i>	13
C3	2	Supplier's Goods Information xiv	

Overview and purpose of the goods and services

The Supply of 300 set of clamshell gates ((Gates Left and Right-hand gear Bracket, Left- and Right-Hand Bracket, Bend Plate, Operating Lever, Scored Pins, Nuts and Bolts)

The goods must be delivered as per the Purchase Order.

Eskom Holdings SOC Limited - Arnot Power Station will only accept deliveries as stipulated in the purchase order during office hours not later than 16:00 from Monday to Thursday and not later than 12:00 on Fridays. No wrong deliveries will be accepted and must be collected by the supplier. Quality and quantity will be assessed on each delivery. The supplier will deliver the agreed quantity i.e., nothing less or more.

Non-deliveries will be a breach of contract conditions and will result in issuing Non-Conformance Report and terminating contract with immediate effect

Specification and description of the goods

Item No	Material	Long Description	Quantity	UMC
1	0719935	TRANSDUCER: TYPE: SU-1625 MAGNETIC SUPPORT; INPUT: 4-20 MA; OUTPUT: +16 ACOUSTIC DB; POWER SOURCE: 24 VDC; APPLICATION: PROBES FOR LIQUID FLOW METERING; SPECIFICATION: DN100 TO DN2500 (REFLEX MODE) OR DN600 (DIRECT MODE); REFERENCE NO: 1599; PIPE NATURE: STEEL, STAINLESS STEEL, CAST IRON, CEMENT LINED, PLASTIC (PVC, PEHD); COMPOSITE (CAST IRON, ASBESTOS, GLASS); ASSOCACIATED TO A CONVERTER AND SAFETY BARRIER BZ 01, THESE PROBES CAN BE CE 0081 II 1 G EEX IA IIB T3 TO T6	20	EACH
2	0750830	MODULE: TYPE: II 3 G EX EC IIC T4 GC; INPUT: 24 VDC; OUTPUT: 200 MA; POWER SOURCE: 24 VDC; APPLICATION: PROFIBUS MASTER/SLAVE TERMINAL; DIMENSIONS: W24 X H 100 X D 52 MM; SPECIFICATION: CONFORMING TO EN 60715; COMMERCIAL SIZE: 70 G; MANUF P/N: EL 6731; PROFIBUS MASTER TERMINAL EL6731 SUPPORTS THE PROFIBUS PTOTCOL, CYCLE TIMES FROM 200 MICRO SECONDS, MASTER OR SLAVE UP TO 12MBIT/S, ERROR MANAGEMENT FOR EACH BUS USER FREELY CONFIGURABLE; CXV 12; REVISION 1.4; ITEM NUMBER:6; BECKHOFF OEM	10	EACH
3	0750833	MODULE: TYPE: EN 61131-2 TYPE 3; INPUT: 24 VDC; OUTPUT: 24 (0.5A SHORT CIRCUIT PROOF) V; POWER SOURCE: 24 (-15%/ +20%) VDC; APPLICATION:	10	EACH

	OK 01X11 (00)			
		SINGLE CORE PROCESSOR;		
		DIMENSIONS: W 49 X H 100 X D 73 MM;		
		SPECIFICATION: EN 61131-2 (TYPE 1/3);		
		COMMERCIAL SIZE: 142 G; SUPPL P/N:		
		CX7080; THE CX7080 EMBEDDED PC		
		WITH AN ARM CORTEX-M7 SINGLE-CORE		
		PROCESSOR WITH 480MHZ HAS A SLOT		
		FOR A MICRO SD CARD AND AN		
		ETHERNET INTERFACE, ALSO OFFER		
		TWO SERIAL INTERFACES ONE WITH		
		RS232 AND ONE WITH RS485 PHYSICS		
4	0750835	MODULE: TYPE: 1/3; INPUT: 24 VDC;	10	EACH
		OUTPUT: 100 MA; POWER SOURCE: 24		
		VDC; APPLICATION: 16 CHANNEL		
		DIGITAL INPUT; DIMENSIONS: W 12 X H		
		100 X D 68 MM; SPECIFICATION:		
		CONFORMING TO EN 61131-2;		
		COMMERCIAL SIZE: 65 G; MANUF P/N: EL		
		1809; THE EL1809 ETHERCAT TERMINAL		
		HAS 16 CHANNELS; WHOSE SIGNAL		
		STATES ARE INDICATED BY LED'S WITH 3		
		MS INPUT; THE REFERENCE GROUND		
		FOR ALL INPUTS IS THE 0V POWER		
		CONTACT; CXV 15, BECKHOFF;		
		REVISION: 1.4; ITEM NUMBER:1.7 OEM		
5	0750834	MODULE: TYPE: 1/3; INPUT: 24 VDC;	10	EACH
		OUTPUT: 0-20 MA; POWER SOURCE: 24		
		VDC; APPLICATION: 8 CHANNEL		
		ANALOG INPUT; DIMENSIONS: W 12 X H		
		100 X D 68 MM; SPECIFICATION: EN		
		60068-2-6/; COMMERCIAL SIZE: 65 G;		
		MANUF P/N: EL 3048; THE EL3048		
		ANALOG INPUT TERMINAL PROCESSES		
		SIGNALS IN THE RANGE BETWEEN 0-		
		20MA FILTER; CONVERSION TIME:		
		1.25MS DEFAULT SETTING,		
		CONFIGURABLE, MULTIPLEX; POWER		
		SUPPLY: VIA THE E-BUS; CXV 16		
		BECKOFF VERSION 1.2, ITEM NUMBER: 1;		
		BECKHOFF IS A OEM		
6	0687076	MODULE: TYPE: SENSOR CARD; INPUT:	10	EACH
		0-10 VDC; OUTPUT: 0-10 VDC; POWER		
		SOURCE: -10 TO +10 VDC; APPLICATION:		
		INPUT CARD FOR MILL PHONE SIGNAL;		
		DIMENSIONS: WD 130 X LG 100 MM;		
		SPECIFICATION: SONIC SENSOR CARD		
		SS-50; COMMERCIAL SIZE: WD 130 X LG		
		100 MM MM; MANUF P/N: 11005411		
				EAOL!
7	0574450	SWITCH, LIMIT: POTENTIAL: 250 VAC;	20	EACH
7	0574450	SWITCH, LIMIT: POTENTIAL: 250 VAC; CURRENT: 10 A; ACTION: SPDT;	20	EACH

	(30)		1	1
		ARRANGEMENT: 1NO; ENCLOSURE:		
		RESIN; POWER: 250 VAC; DIMENSIONS:		
		146X100X96 MM; APPLICATION:		
		BUTTERFLY VALVE WITH GEARBOX;		
		ENCLOSURE RATING: IP66;		
		CLASSIFICATION: NON-HAZARDOUS		
		AREA; MANUF P/N: TVA-M2WYNCM;		
		DRAWING NO: 0.84/12810 REV 0;		
		CONDUIT ENTRIES: 2 X M20; TEMP		
		RATING: -40 TO 80 DEG CEL; BUS		
		SENSOR: 2 MECH; VISUAL DISPLAY: 90		
		DEG YELLOW OPEN/BLACK CLOSED; O-		
		RING MATERIAL: RUNA/EPBM		
8	0594848	ACTUATOR, PNEUMATIC: DIMENSIONS:	40	EACH
		WD 174 X LG 424 X HT 238 MM;		
		PRESSURE RATING: 3-8 BAR; TRAVEL: 0-		
		90 DEG; OPERATED: PNEUMATIC;		
		MATERIAL: ALLOY; INLET CONNECTION		
		TYPE: THREADED; INLET CONNECTION		
		SIZE: 1/4 IN; OUTLET CONNECTION TYPE:		
		THREADED; OUTLET CONNECTION SIZE:		
		1/4 IN; OPERATED RATING: 5-6 BAR;		
		VENDORS ARE RESPONSIBLE FOR		
		ENSURING THAT THEY ARE PERFORMING		
		AGAINST THE CORRECT DRAWING		
		REVISION NUMBER (IF APPLICABLE).		
9	0062411	VALVE, SOLENOID: PIPE SIZE: 1/4 IN;	20	EACH
		STYLE: 3 WAY; POTENTIAL: 220 VAC;		
		DESIGN RATING: 1-10 BAR;		
		CONNECTION: THD FEMALE; BODY		
		MATERIAL: PVC; OPERATED: NO;		
		MEDIUM: AIR; POWER: 2 W; ORIFICE		
		SIZE: 0.6 MM; MODEL NO: 411-G-		
		H1/4/DNGB; 50 HZ; GENERAL PURPOSE		
		ENCLOSURE; 16 BAR; WITH MANUAL		
		CHANGE OVER		
10	0670845	VALVE, BALL: VALVE SIZE: 3/8 IN; DESIGN	100	EACH
		RATING: 10 BAR; TEMPERATURE RATING:		
		150 DEG C; CONNECTION: SW; BODY		
		MATERIAL: SS 316; FACE TO FACE		
		LENGTH: 120 MM; OPERATED: HAND;		
		STYLE: 2 WAY; TRIM: SS 316;		
		SOFTGOODS: PACKING: PTFE;		
		APPLICATION: SECONDARY SAMPLING		
		CONDITIONING PANEL; TYPE: GRAP		
		SAMPLE; MANUF P/N: SPL.AV.SE-6A-		
		B6XS2-SSP;		
11	0671152	VALVE, BALL: VALVE SIZE: G1/2 IN;	50	EACH
		DESIGN RATING: 0.05 MPA;		
		TEMPERATURE RATING: 40 DEG C; CONNECTION: SCREWED; BODY		

		MATERIAL: STEEL; FACE TO FACE		
		LENGTH: 125 MM; OPERATED: LEVER;		
		APPLICATION: VENT VALVE FUEL OIL		
		FILTER 2 UNLOADING LINE1; 0 0EGA12		
		AA451; GRADE: AA; SUPPL P/N:		
		4B73660BFD0921A3E0401EAC4EFA61EA;		
		INSPECTION CERTIFICATE ACC, EN		
		10204 - 3.1		
12	0572268	TRANSMITTER, TEMPERATURE: RANGE: -	25	EACH
		40 TO 12 DEG C; OUTPUT: 4-20 MA;		
		SUPPLY: 230 VAC; TYPE:		
		THERMOCOUPLE; APPLICATION:		
		CONTROL ROOM; MOUNT: BRACKET;		
		CONNECTION: 4 WIRE; ENCLOSURE:		
		IP65; DTH SENSE AIR TEMPERATURE AND		
		HUMIDITY METER/ TRANSMITTER WITH		
		AN ALTERNATING LED DISPLAY FOR USE		
		INSIDE THE CONTROL CUBICLE		

Purchaser's design

Not applicable

Procedure for submission and acceptance of Supplier's design

Not applicable

Other requirements of the Supplier's design

Not applicable

Use of Supplier's design

Not applicable

Manufacture & fabrication

All materials to comply to Eskom standards

Factory acceptance testing (FAT)

The Purchaser may request FAT and material inspection

Other tests and inspections and commissioning in place of use

Quality control checks documentation is in place at Arnot Power Station at the Main Store (Receiving)

Operating manuals and maintenance schedules

Not applicable

Supply Requirements

The Supply Requirements for this contract are in an Annexure to the Contract Data provided by the *Purchaser*.

Specification of the services to be provided

All materials to comply with Eskom standards

Constraints on how the *Supplier* Provides the Goods **Programming constraints**

Not applicable

Work to be done by the Delivery Date

All goods are to be delivered as per the quantity required and quality check to be done after every delivery

Marking the goods

Not applicable

Constraints at the delivery place and place of use

The spares must be delivered at Arnot Power Station Stores between Monday and Thursday at 09:00 to 15:00. On Friday, between 9:00 and 12:00

Cooperating with Others

The Supplier must fully co-operate with the Purchaser's team during off-loading at the project site

Services & other things to be provided by the Purchaser or Supplier

Not applicable

Management meetings

Regular meetings of a general nature may be convened and chaired by the *Supply Manager* as follows:

Title and purpose	Approximate time & interval	Location	Attendance by:
Risk registers and compensation events	As and when required	Material Management Boardroom	Purchaser, Supplier, and Supply Manager
Overall contract progress and feedback	As and when required	Material Management Boardroom	Purchaser, Supplier, and Supply Manager

Meetings of a specialist nature may be convened as specified elsewhere in this Goods Information or if not so specified by persons and at times and locations to suit the Parties, the nature and the progress of the manufacture of the *goods*. Records of these meetings shall be submitted to the *Supply Manager* by the person convening the meeting within five days of the meeting.

All meetings shall be recorded using minutes or a register prepared and circulated by the person who convened the meeting. Such minutes or register shall not be used for the purpose of confirming actions or instructions under the contract as these shall be done separately by the person identified in the *conditions of contract* to carry out such actions or instructions.

Documentation control

All documentation from the *Supplier* must be provided in hard copy and must also be emailed to the *Supply Manager*, as per the communication process agreed after contract award.

Health and safety risk management

The Supplier shall comply with the health and safety requirements:

- Control of noise is through wearing hearing protection
- Dust, dust suppression or as the last resort issue dust mask
- Waste, put waste in the correct waste bin
- Water to be conserve, use as little as possible
- Adhere to all Eskom lifesaving rules

A. Road Safety

- a. Speed limit: 40km/h
- b. By passing Speed humps not allowed
- c. Transporting People at the back of the bakkie is not allowed
- d. Buckle up always
- e. Park only at demarcated areas

B. Sanitation

a. Toilets for both genders are available at the plant

C. Emergency

- a. The emergency number for Arnot is 013 297 9184 Pax:5184
- b. Emergency alarms are tested every Wednesday 10H00

D. Access

- a. Before access can be grated the following must be met:
- b. SHE Induction attended.

Compliance to 5 identified Eskom Lifesaving Rules:

Rule1: Open, Isolate, Test, Earth, Bond, and/or Insulate before touch (That is, any plant operating above 1 000 V)

No person may work on any electrical network unless:

- He/she is trained and authorised as competent for the task to be done.
- A pre-task risk assessment to identify all risks and hazards has been conducted prior to any work commencing.
- An equipotential zone is created for each worker on the job site by earthing, bonding, and/or insulating according to approved procedures.
- All conducting material is connected, all staff on site wear electrical safety shoes, and insulating techniques are applied according to standards; and
- The authorised person (team leader) has certified and shown all team members that the apparatus is safe to work on.

Rule 2: Hook up on heights

Working at height is defined as any work performed above a stable work surface or where a person puts himself/herself in a position where he/she exposes himself/herself to a fall from or into. No person may work at height where there is a risk of falling unless:

- A pre-task risk assessment to identify all risks and hazards has been conducted prior to commencing any work at height.
- He/she is appropriately trained.
- · He/she is appropriately secured during ascending and descending and
- He/she is using an approved fall arrest system where applicable.

Rule 3: Buckle up

No person may drive any vehicle on Eskom business and/or on Eskom premises unless the driver and all passengers are wearing seat belts.

Rule 4: Be Sober

- 1 No person is allowed to work under the influence of drugs and alcohol.
- 2 "Under the influence" means the use of alcohol, drugs, and/or a controlled substance to the extent
- 1 He individual's faculties are in any way impaired by the consumption or use of the substances; or
- 2 The individual is unable to perform in a safe, productive manner; or

- 3 The individual has a level of any such substance in his/her body that corresponds to or exceeds accepted medical/legal standards; or
- 4 The individual has a level of alcohol in his/her body that is greater than 0.02% blood alcohol concentration.

This includes any level of an illegal substance in the body, irrespective of when the substance was used.

Rule 5: Ensure that you have a permit to work

Where an authorisation limitation exists, no person shall work without the required Permit to Work (PTW), which is governed by the Plant Safety Regulations, Operating Regulations for High Voltage Systems (ORHVS) etc.

No plant is to be returned to service without the cancellation of all permits on that plant in accordance with procedure.

NB: In the case of live work, a "live work declaration form" is to be completed by the authorised person who is the person responsible for the safe execution of work according to relevant standards and procedures. Please ensure that these rules are understood and communicated with the urgency that they deserve. If any of these rules are unclear or the consequences not understood, please do not hesitate to discuss it with Eskom.

We would like to continue our current partnership and therefore urge your support in the implementation and upholding of these rules.

Environmental constraints and management

The *Supplier* shall comply with the health and safety requirements contained the *Purchaser's* SHE Specification.

Quality

Quality check sheet should be in place.

The Supplier will be expected to comply with Supplier Quality Management Specification 240-105658000 (previously called QM58) and ISO: 9001 requirements and other Eskom Holdings SOC Limited's Standards and specifications.

Invoicing and payment

Within one week of receiving a payment certificate from the *Supply Manager* in terms of core clause 51.1, the *Supplier* provides the *Purchaser* with a tax invoice showing the amount due for payment equal to that stated in the *Supply Manager's* certificate.

The Supplier shall address the tax invoice to Purchaser and include on each invoice the following information:

- Name and address of the Supplier and the Supply Manager,
- The contract number and title,
- Supplier's VAT registration number,
- The Purchaser's VAT registration number.
- Description of goods and services provided for each item invoiced based on the Price Schedule,
- Total amount invoiced excluding VAT, the VAT and the invoiced amount including VAT and
- (add others as required).

Detailed tax invoice, clearly showing: Eskom Holdings SOC LTD

Electronic copy to Finance Shared Services

Megawatt Park

Insurance provided by the *Purchaser*

Refer to Annexure B – Insurance to be provided by the *Purchaser*

Contract change management

Clause 6 Compensation events of the NEC3 Supply Contract will apply to all changes in this contract.

Provision of bonds and guarantees

Not applicable

Records of Defined Cost, payments & assessments of compensation events to be kept by the *Supplier*

All records and quality documentation must be provided in hard copy and must be electronically emailed to the *Supply manager*

Procurement Subcontracting

Preferred subcontractors

Not applicable

Limitations on subcontracting

Not applicable

Spares and consumables

Not applicable

Other requirements related to procurement

Not applicable

Cataloguing requirements by the Supplier

Not applicable

List of drawings Drawings issued by the *Purchaser*

Not applicable

C3.2 SUPPLIER'S GOODS INFORMATION Not applicable